

Feeding Instructions

To assist in maintaining relaxed, healthy muscles.

Feed to horses prone to muscle stress or where history dictates.

	g	Scoops
Horses & Ponies	per day	per day
Loading rate (3-10 days)	33-55	3-5
Maintenance	22-33	2-3
Low maintenance	11	1

Introduce gradually for fussy feeders.

Feed loading rate where signs dictate and around competition.

Maintenance levels may be adjusted to suit the individual and are not necessarily related to bodyweight.

Omicha berries, Sunflower seed, Brewers' veast,

Black Cohosh, Rosehip shells, Ginger, Thorowax,

Turmeric, Dandelion leaves, Rosemary, Milk thistle

seeds, Mushroom (dried), Chlorella (dried), Ginkgo leaves, Angelica, Withania somnifera, Hawthorn berries.

Skullcap, Tomato pulp, Rapeseed oil, Licorice,

Red Sage, Apiculture by-product (bee pollen).

Methyl sulphonyl methane, Carrot (dried), Cramp bark,

One 25ml scoop provides approx. 11g.

A 1kg pot fed at 22g per day will last approximately 45 days.

Vitamine

Niacinamide 3a315 8,620 mg Vitamin A 3a672a 83,300 I.U. Vitamin B2 93.30 mg Vitamin D3 E 671 25,000 I.U. Vitamin E 3a700 12,600 I.U. Digestibility Enhancer

Saccharomyces cerevisiae NCYC Sc47 4b1702 Analytical constituents

NCYC Sc47 4b1702 2.93 x 10¹¹ cfu

Additives (per kg)

Ingredients

Amino acids			
dl-Methionine	3c301		5,730 mg
Trace elements			
Zinc sulphate,			
monohydrate	E 6	(1,740 mg)	609 mg Zinc

Crude protein	14.8 %
Crude oils and fats	16.6 %
Crude ash	7.8 %
Crude fibre	8.9 %
Sodium	<0.1 %

Store in a cool, dry place. Replace lid after use. A complementary feed for equine use only.

For more information about this or any other NAF product, or bespoke advice about your horse's specific needs, please contact us on FREEPHONE support 0800 373 106, info@naf-uk.com or look up product details on www.naf-equine.eu/uk





NAE GUADANTEE OF OUALITY

Batch No: Best Before:

NAF 87 V6













F, Wonastow Rd, Ind Est West, Monmouth NP25 5.IA